

COPPER PAINT



DEFINITION

AIRCOLOR COBRE is an enamel composed of copper pigments. Use as a primer to protect areas to be welded. In interiors can be used as a finishing coat, for exteriors we recommend topcoating with clearcoat. Repainting with transparent varnish will modify the metallic effect.




PHYSICAL CHARACTERISTICS

Nature:	Hydrocarbon
Colour:	Copper
Appearance:	Metallic
Propellant:	GLP C3-C4
Aerosol pressure:	4 bar at 20°C
Dry film thickness:	15-20 microns
Yield:	2,5 m ² /aerosol
VOC:	616 g/l
Solid content:	21 %
Copper content:	50% over dry film



SURFACE PREPARATION

PROCESS		Steel	Electrozinc-coated
	P80	✓	✓
	DA93	✓	✓

APPLICATION METHOD

		
1	20	1

DRYING TIMES

	
10°C	10'
20°C	5'
30°C	3'

REMARKS

Shake the aerosol before use for 1 minute after hearing the sound of the mixer.
Protect the areas that will not be painted.

EQUIPMENT CLEANING

After use clean the nozzle by turning the aerosol upside down and spray until only gas will emerge.

SAFETY

Follow instructions of product label. For more information check the Safety Data Sheet. Compliant with the National Statutory Regulation for Health and Safety at Work and Waste Disposal.

STORAGE

Store the product in a ventilated place far from direct exposure to sunlight. Keep between +5°C and +30°C.

GUARANTEE

In unopened original packaging, one year from manufacturing date.

These products are for professional use only. The Safety Data Sheet should be consulted before use and the precautionary warnings on the product packaging should be observed. Its correct use, according to its purpose and respecting its technical and security data, provided in these documents, is the sole and exclusive responsibility of the user. ROBERLO S.A.U declines any liability due to the incorrect use of any product.

The information included in this documentation is based on our scientific and technical knowledge on the date of its issuance. ROBERLO S.A.U reserves the right to modify and/or discontinue all or part of the information at any time and without prior notice. It is the user's responsibility to verify the update of the information. The latest version of this document replaces all previous versions.

*All clauses contained herein apply to any future changes or modifications.
For any additional technical information please consult with our Customer Service or our Technical Department.*